11/19/2008 08:41 PM

Aaron Setran

yes, that's fine. I really appreciate your assistance on this and on all th

yes, that's fine. I really appreciate your assistance on this and on all things related. A

Aaron Carr Setran U.S. EPA, Water Division 75 Hawthorne St. San Francisco, CA 94105 (415) 972-3457

"Brenda Stein"

brenda@exdengineering.com

"Brenda Stein" <a href="mailto:stein"<a href=

11/19/2008 12:33 PM

cc "Rick Stein" rick@exdengineering.com

То

Subject FW: pdf map?

Aaron Setran/R9/USEPA/US@EPA

Aaron,

Rick is out this afternoon, but I am sure he will be able to get something to you tomorrow. We have to do this whenever we request an aerial, so he knows what you need.

Is tomorrow ok?

Brenda Stein P.E., M.B.A. Principal Engineer brenda@exdengineering.com

EXD Engineering & Land Surveying, Inc. 1641 Mono Avenue Minden, Nevada 89423

Ph: (775) 783-4772 Fx: (775) 783-4773

----Original Message----

From: Rick Stein

Sent: Wednesday, November 19, 2008 10:41 AM

To: Brenda Stein Subject: RE: pdf map?

I might be able to come up with something

Rick Stein PLS EXD Engineering & Land Surveying, Inc. 1641 Mono Avenue

Minden, NV 89423 ph: (775) 783-4772 fx: (775) 783-4773

----Original Message----

From: Brenda Stein

Sent: Wednesday, November 19, 2008 10:39 AM

To: Rick Stein

Subject: FW: pdf map?

Brenda Stein P.E., M.B.A. Principal Engineer brenda@exdengineering.com

EXD Engineering & Land Surveying, Inc. 1641 Mono Avenue Minden, Nevada 89423 Ph: (775) 783-4772 Fx: (775) 783-4773

----Original Message----

From: Setran.Aaron@epamail.epa.gov [mailto:Setran.Aaron@epamail.epa.gov]

Sent: Wednesday, November 19, 2008 10:23 AM

To: Brenda Stein Subject: RE: pdf map?

Brenda:

Do you by chance have a pdf doc which shows the site location and boundary extent for Pineview.....something I could forward to an aerial vendor so they can determine costs and extent of coverage? If so, could you please forward to me. Thanks, A

Aaron Carr Setran U.S. EPA, Water Division 75 Hawthorne St. San Francisco, CA 94105 (415) 972-3457...

